

Dai Shin Technologies, Inc.

W238 N1690 Rockwood Dr STE400, Waukesha, WI 53188
www.daishintech.com

Phone (262) 347 0500
Fax (888) 604 6304

eLET MR16 4 WATT

- Direct energy efficient retrofit for most MR16 lamps
- Uses less than 4W power
- Replaces up to 50W Halogen Lamp
- Patented thermal feedback
- L₇₀ lifetime 50,000 hours
- No UV or IR emission
- High CRI
- RoHS Compliant
- 3 Year Limited Warranty
- Conforms to EMC Directive 2004/108/EC
- Not water tight. Do not submerge




All Specifications @25°C Ambient Condition

| Part Number | Base | Input Voltage | Power Consumption | CCT | CRI (Typical) | Lumen Output | Housing Temp°C |
|-------------|----------------|---------------|-------------------|------------|---------------|--------------|----------------|
| PMR16 | GX5.3 (Bi-Pin) | 12V AC/DC | 3.8 W | 2700-3500K | 80 | 220 | 51 |
| PMR16 | GX5.3 (Bi-Pin) | 12V AC/DC | 3.8W | 4000-5700K | 75 | 260 | 51 |
| GMR16 | GU10 | 120V AC | 3.8W | 2700-3500K | 80 | 135 | 51 |
| GMR16 | GU10 | 120V AC | 3.8W | 4000-5700K | 75 | 155 | 51 |

To Order: Part# - XXXX -YY - F

| Part# | CCT (K) (XXXX) | Beam Angle (YY) | Finish Color (F) |
|-------------------|----------------|-----------------|------------------|
| PMR16 | 2700 | 30 | B (Black) |
| PMR16D (Dimmable) | 3000 | 40 | S (Silver) |
| GMR16 | 4000 | 50 | |
| | 5700 | | |



Dai Shin Technologies, Inc.

W238 N1690 Rockwood Dr STE400, Waukesha, WI 53188
www.daishintech.com

Phone (262) 347 0500
Fax (888) 604 6304

eLET MR16 3 WATT

- Direct energy efficient retrofit for most MR16 lamps
- Uses only 3W power
- Replaces up to 35W Halogen Lamp
- Patented thermal feedback
- L_{70} lifetime 50,000 hours
- No UV or IR emission
- High CRI
- RoHS Compliant
- 3 Year Limited Warranty
- Conforms to EMC Directive 2004/108/EC
- Not water tight. Do not submerge




All Specifications @25°C Ambient Condition

| Part Number | Base | Input Voltage | Power Consumption | CCT | CRI (Typical) | Lumen Output | Housing Temp°C |
|-------------|-------|---------------|-------------------|------------|---------------|--------------|----------------|
| MR16 | GX5.3 | 12V AC/DC | 3W | 2700-3500K | 80 | 71 | 51 |
| MR16 | GX5.3 | 12V AC/DC | 3W | 4000-5700K | 75 | 80 | 51 |

To Order: Part# - XXXX -YY - F

| Part# | CCT (K) (XXXX) | Beam Angle (YY) | Finish Color (F) |
|-------|----------------|-----------------|------------------|
| MR16 | 2700 | 15 | B(Black) |
| | 3000 | 25 | S (Silver) |
| | 4000 | 40 | |
| | 5700 | 80 | |



Dai Shin Technologies, Inc.

W238 N1690 Rockwood Dr STE400, Waukesha, WI 53188
www.daishintech.com

Phone (262) 347 0500
Fax (888) 604 6304

eLET PAR16

- Direct energy efficient retrofit for most MR16 lamps
- Uses less than 4W power
- Replaces up to 50W Halogen Lamp
- Patented thermal feedback
- L_{70} lifetime 50,000 hours
- No UV or IR emission
- High CRI
- RoHS Compliant
- 3 Year Limited Warranty
- Conforms to EMC Directive 2004/108/EC
- Not water tight. Do not submerge



| All Specifications @25°C Ambient Condition | | | | | | | |
|--|------|---------------|-------------------|------------|---------------|--------------|----------------|
| Part Number | Base | Input Voltage | Power Consumption | CCT | CRI (Typical) | Lumen Output | Housing Temp°C |
| PAR16 | E26 | 120VAC | 3.8W | 2700-3500K | 80 | 135 | 51 |
| PAR16 | E26 | 120VAC | 3.8W | 4000-5700K | 75 | 155 | 51 |

| To Order: Part# - XXXX -YY - F | | | |
|--------------------------------|----------------|-----------------|------------------|
| Part# | CCT (K) (XXXX) | Beam Angle (YY) | Finish Color (F) |
| PAR16 | 2700 | 30 | B (Black) |
| PAR16D (Dimmable) | 3000 | 40 | S (Silver) |
| | 4000 | 50 | |
| | 5700 | | |